

## Characterizing the Glycan and Collagen Biomarker Profiles of DCIS


Elizabeth Wallace<sup>1</sup>, Grace Grimsley<sup>1</sup>, Jeffrey R. Marks<sup>2</sup>, Peggi M. Angel<sup>1</sup> and Richard R. Drake<sup>1</sup>

<sup>1</sup>Medical University of South Carolina, Charleston, SC. <sup>2</sup>Duke University, Durham, NC.

#### Introduction

- Ductal Carcinoma in situ (DCIS) represents 25% of diagnosed breast cancers. DCIS can, but rarely does, progress to Invasive Ductal Carcinoma (IDC), making overtreatment of DCIS a real problem [1,2].
- This study identified glycan tissue biomarkers using multi-enzymatic IMS approaches [3,4] to investigate the DCIS glycome and collagen distribution and how it differs during progression to IDC.

## **Methods and Materials**






Figure 2. MALDI-MS imaging of FFPE DCIS tissue comparing pure DCIS to DCIS with IDC. A. H&E stain with major areas of DCIS nodules indicated by red arrows; **B-E.** N-glycans significantly elevated in DCIS with IDC compared to tissues with DCIS only – three GlcNAc bisected and one branched, all with various core fucosylations. (A) 1850.666 m/z, Hex4dHex1HexNAc5, stromaassociated; (C) 2012.719 m/z Hex5dHex1HexNAc5, stroma-associated; (D) 2158.777 m/z, Hex5dHex2HexNAc5 , DCIS-nodule associated; (E) 2832.019 m/z, Hex7dHex3HexNAc6, DCIS-nodule associated. **F.** SCiLS overlay of glycans in C-E. **F-I.** Three collagen peptide distribution patterns seen in DCIS with IDC vs. tissues with DCIS only . G. SCiLS overlay of glycans in F-I.

DCIS + IDC






Figure 1. MALDI-MS imaging of example FFPE DCIS tissue. A. H&E stain with major areas of DCIS nodules indicated by red arrows; B. Example high-mannose N-glycan 1743.581 (Hex8HexNAc2) localized to DCIS nodules; C. Example high-mannose N-glycan 1905.634 (Hex9HexNAc2) localized to DCIS nodules; D. Example branched and core fucosylated N-glycan 2466.887 (Hex6dHex3HexNAc5) localized to DCIS nodules; E. Example sialylated N-glycan 2122.725 (Hex5dHex1HexNAc4NeuAc1 + 2Na ) localized to stroma. F. Overlay of nodule-localized high-mannose N-glycan Hex8HexNAc2 and stroma-localized example glycan Hex5dHex1HexNAc4NeuAc1. G. SCiLS Lab Segmentation analysis 54 glycans.

## DCIS - Core DCIS – High mannose/cryptic N-glycans fucosylated DCIS - Branched Stroma - N-glycans, no fucose

N-glycans detected localized to DCIS or stroma around DCIS nodules





## Conclusions

DCIS

DCIS + IDC

- DCIS shows distinct glycans in nodules and stroma, with higher proportions of branched glycans in nodules.
- DCIS in progression to IDC shows significant increases in bisecting GlcNAc and branched N-glycan structures, which are associated immune suppression and cancer metastasis [5,6].
- DCIS in progression to IDC has indicate alterations in tissue ECM as DCIS progresses.

# Contact

Elizabeth Wallace PhD Candidate, Biomedical Sciences Dr. Richard Drake Lab, CRI 305 Medical University of South Carolina wallaeli@musc.edu

## References

- 1 Groen, E. J. et al. Finding the balance between over- and under-treatment of ductal carcinoma in situ (DCIS). The Breast 31, 274-283, doi: https://doi.org/10.1016/j.breast.2016.09.001 (2017).
- 2 Liu, B.-T. et al. Differences in pathologic characteristics between ductal carcinoma in situ (DCIS), DCIS with microinvasion and DCIS with invasive ductal carcinoma. Int J Clin Exp Pathol 13, 1066-1072 (2020).

West, C. A., Wang, M., Herrera, H., Liang, H., Black, A., Angel, P. M., Drake, R. R., & Mehta, A. S. (2018). N-Linked Glycan Branching and Fucosylation Are Increased Directly in Hcc Tissue As Determined through in Situ Glycan Imaging. Journal

- 3 Drake, R.R. et al. In Situ Imaging of N-Glycans by MALDI Imaging Mass Spectrometry of Fresh or Formalin-Fixed Paraffin-Embedded Tissue. Curr Protoc Protein Sci 94, e68 (2018).
- 4 Angel, P.M. et al. Extracellular Matrix Imaging of Breast Tissue Pathologies by MALDI-Imaging Mass Spectrometry. Proteomics Clin Appl 13:e1700152 (2019).
- of proteome research, 17(10), 3454-3462. https://doi.org/10.1021/acs.jproteome.8b00323 Taniguchi N, Kizuka Y. Glycans and cancer: role of N-glycans in cancer biomarker, progression and metastasis, and therapeutics. Adv Cancer Res. 2015;126:11-51. doi: 10.1016/bs.acr.2014.11.001. Epub 2015 Feb 7. PMID: 25727145.